EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1136	(725/38,78,80,116).ccls. and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 10:46
L2	60	standby and (725/38,78,80,116).ccls. and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 10:46
S1	2	harish-p.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 09:16
S2	70	home and bandwidth and slave and master and television and network and sleep and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 11:11
S3	672	(set$1top$1box or client) near10 remote near10 code and (learn or program) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 11:13
S4	196	(set$1top$1box or client) near10 remote near10 code and (learn or program) and bandwidth and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 11:14
S5	130	(set$1top$1box or client) near10 remote near10 code and (learn or program) and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 11:16

EAST Search History

S6	100	master same slave same network same (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:25
S7	18	((set$1top$1box) or client) with (tv or television) with network with remote control and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:35
S8	861	((set$1top$1box) or client) and (sleep or stand$1by) and network and (tv or television) and bandwidth and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:43
S9	227	725/78.ccls. and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 10:46
S10	216	725/95.ccls. and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:24
S11	6	(television or tv) and network and (set$1top$1box) and (sleep or stand$1by) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:30
S12	134	optimiz$3 near5 bandwidth and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:36

8/29/2007 10:47:44 AM
C:\Documents and Settings\esipple\My Documents\EAST\Workspaces\application10620674.wsp

Page 2

S13	127	(set$1top$1box) near10 (television or tv) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:54
S14	120	(set$1top$1box) near5 (television or tv) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:58
S15	103	(set$1top$1box or box or unit) near15 (sleep or stand$1by) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:05
S16	233	set$1top$1box and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 08:41
S17	181	set$1top$1box and network and remote and (tv or television) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:21
S18	164	set$1top$1box and remote control and (tv or television) and (@ad<="20030716" or @rlad<="20030716") and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:23
S19	88	(@ad<="20030716" or @rlad<="20030716") and "725"/85.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:23

S20	52	remote control and (@ad<="20030716" or @rlad<="20030716") and "725"/85. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:24
S21	233	set$1top$1box and (@ad<="20030716" or @rlad<="20030716") and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:31
S22	164	set$1top$1box and remote control and (@ad<="20030716" or @rlad<="20030716") and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:51
S23	428	home network and (@ad<="20030716" or @rlad<="20030716") and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:52
S24	243	home network and bandwidth and (@ad<="20030716" or @rlad<="20030716") and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:52
S25	176	home network and bandwidth and remote control and (@ad<="20030716" or @rlad<="20030716") and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:52
S26	1	set$1top$1box and (local$1area$1network) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 08:44

S27	417	set$1top$1box and (@ad<="20030716" or @rlad<="20030716") and ("725"/$.ccls. or "455"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 08:48
S28	246	set$1top$1box and (remote near3 control) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$.ccls. or "455"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 08:49
S29	24	set$1top$1box and (learn or teach near10 remote near10 control near10 code$1) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$.ccls. or "455"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:07
S30	61	set$1top$1box and (learn or teach near10 remote near10 control near10 code$1) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:19
S31	2	set$1top$1box and local$1area$1network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 07:51
S32	124	smart near3 remote near3 control and box and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:23
S33	171	smart near3 remote near3 control and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:24

EAST Search History

S34	11	set$1top$1box and ((sleep near3 mode) or stand$1by near3 mode) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:59
S35	215	set$1top$1box near10 (television or tv) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:04
S36	417	set$1top$1box and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:09
S37	248	set$1top$1box and remote near5 control and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:25
S38	4	set$1top$1box and ((auto or automatic) near3 (on or off)) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:14
S39	1	set$1top$1box and ((learn or teach) near15 remote near15 control near15 code$1) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:25
S40	0	(set$1top$1box or stp) and infared and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:27

EAST Search History

S41	15	(set$1top$1box or stp) near10 remote control and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:38
S42	484	(set$1top) near10 remote control and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:55
S43	252	(set$1top) near10 remote control and bandwidth and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:46
S44	12	(set$1top) near10 remote control and ((stand$1by or sleep) near3 mode) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:53
S45	2	(set$1top) near10 (remote near3 control) same ((learn or teach or program) near3 code$1) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:02
S46	0	(set$1top) near10 (auto or automatic) near3 (on or off) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:03
S47	0	(set$1top) near10 (auto or automatic) near6 (on or off) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:04

S48	33	(set$1top) near10 (auto or automatic or self or power) near6 (on or off) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$.ccls. or "455"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:11
S49	13	(set$1top) near10 remote near2 code$1 and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "455"/$.ccls. or "348"/$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:14
S50	0	(set$1top) near10 learning module and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:53
S51	16	(set$1top) near10 (sleep or stand$1by mode) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 13:38
S52	364	(set$1top) and (remote near5 control near5 code) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 13:40
S53	25	(set$1top) near25 (remote near5 control near5 code) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 13:40
S54	4	"6292230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:33

S55	6	"799482".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:35
S56	3	"7109908"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:36
S57	62	"5886732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:36
S58	384	(set$1top) near10 remote control and (@ad<="20030716" or @rlad<="20030716") and ("725"/$.ccls. or "455"/$.ccls. or "341"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 12:56
S59	8	"6742184"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 16:57
S60	13	"5294981"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 16:59
S61	4	"5831663"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 16:59

S62	1295	((sleep or stand$1by) near3 mode) and bandwidth and (local$1area$1network or lan) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 07:53
S63	365	((sleep or stand$1by) near3 mode) and bandwidth and (local$1area$1network or lan) and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:04
S64	26	((sleep or stand$1by) near3 mode) and bandwidth and (local$1area$1network or lan) and (tv or television) and (set$1top$box) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:04
S65	55	((sleep or stand$1by) near3 mode) and (optimize near3 bandwidth) and (local$1area$1network or lan) and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:15
S66	2	((sleep or stand$1by) near3 mode) and (optimize near3 bandwidth) and (local$1area$1network or lan) and (tv or television) and remote control and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:19
S67	38	(optimize near3 bandwidth) and (local$1area$1network or lan) and (tv or television) and remote control and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:27
S68	54	optimize near3 bandwidth and (video near2 network) and master near3 (box or unit) and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:36

EAST Search History

S69	1	(system or method) near3 optimiz$3 near3 bandwidth near4 video near4 network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:38
S70	1	(system or method) near6 optimiz$3 near6 bandwidth near6 video near6 network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 10:44
S71	320	(@ad<="20030716" or @rlad<="20030716") and (725/78, 82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 14:40
S72	122	bandwidth and (@ad<="20030716" or @rlad<="20030716") and (725/78,82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 15:15
S73	217	(@ad<="20030716" or @rlad<="20030716") and (725/95). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:18
S74	160	(maximize or optimize) near5 bandwidth and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:53
S75	154	(maximize or optimize) near5 bandwidth and network and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 15:45

S76	136	bandwidth and settopbox and (tv or television) and network and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:18
S77	274	(lan or home near3 network) and bandwidth and (tv or television) and (set$1top$1box or client) and (rc or remote control) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:53
S78	13	(lan or home near3 network) and ((optimize or maximize) near3 bandwidth) and (tv or television) and (set$1top$1box or client) and (rc or remote control) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:29
S79	253	((optimize or maximize) near2 bandwidth) and (lan or local$1area$1network) and (tv or television) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:53
S80	8	((optimize or maximize) near2 bandwidth) and (lan or local$1area$1network) and (tv or television) and (stb or set$1top$1box) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 16:54
S81	320	(@ad<="20030716" or @rlad<="20030716") and (725/78, 82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:18
S82	113	bandwidth and (tv or television) and (@ad<="20030716" or @rlad<="20030716") and (725/78, 82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:21

S83	2	(optimize or maximize or efficent$2) near4 bandwidth and (tv or television) and (@ad<="20030716" or @rlad<="20030716") and (725/78, 82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:25
S84	138	(optimize or maximize or efficent$2) near4 bandwidth and (tv or television) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:36
S85	63	(optimize or maximize or efficent$2) near4 bandwidth and (tv or television) and (lan or home near2 network) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:40
S86	347	(optimize or maximize or efficent$2) near4 bandwidth and (tv or television) and (lan or home near2 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:45
S87	33	(optimize or maximize or efficent$2) near4 bandwidth and (tv or television) and (video near3 (lan or home near2 network)) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 07:58
S88	0	(system or method) near3 (optimize or maximize or efficent$2) near4 bandwidth near3 ((lan or (home or domestic)) near2 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:01
S89	0	(system or method) near5 (optimize or maximize or efficent$2) near6 bandwidth near5 ((lan or (home or domestic)) near5 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:01

EAST Search History

S90	61	(system or method) same (optimize or maximize or efficent$2) same bandwidth same ((lan or (home or domestic)) same network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:04
S91	0	(system or method) near10 (optimize or maximize or efficent$2) near10 bandwidth near10 ((lan or (home or domestic)) near10 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:11
S92	275	(system or method) near10 (optimiz$3 or maximize or efficent$2) near10 bandwidth near10 network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:37
S93	2	(system or method) near10 (optimiz$3 or maximize or efficent$2) near10 bandwidth near10 video near10 network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:15
S94	3	(system or method) near10 (optimiz$3 or maximize or efficent$2) near10 bandwidth near15 video near15 network and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:19
S95	0	(@ad<="20030716" or @rlad<="20030716") and 348/10. ccls	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:20
S96	0	(@ad<="20030716" or @rlad<="20030716") and 348/10. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:21

EAST Search History

S97	499	(@ad<="20030716" or @rlad<="20030716") and 725/151. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:21
S98	0	(@ad<="20030716" or @rlad<="20030716") and 348/10. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:22
S99	0	(@ad<="20030716" or @rlad<="20030716") and 348/7. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:22
S100	96989	(@ad<="20030716" or @rlad<="20030716") and "348"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:22
S101	0	(@ad<="20030716" or @rlad<="20030716") and "348"/10. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:22
S102	384	(system or method) near10 (optimiz$3 or maximize or efficent$2) near10 bandwidth and (video near10 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:38
S103	245	(system or method) near6 (optimiz$3 or maximize or efficent$2) near6 bandwidth and (video near6 network) and (@ad<="20030716" or @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:39

EAST Search History

S10 4	44	(system or method) near6 (optimiz$3 or maximize or efficent$2) near6 bandwidth and (video near6 (((local or home) near3 network) or lan)) and (@ad<="20030716" or. @rlad<="20030716")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:49
S10 5	13	(system or method) near6 (optimiz$3 or maximize or efficent$2) near6 bandwidth and (video near6 (((local or home) near3 network) or lan)) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 08:50
S10 6	13	(system or method) near10 (optimiz$3 or maximize or efficent$2) near10 bandwidth and (video near6 (((local or home) near3 network) or lan)) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:00
S10 7	110	(stb or set$top or set$top$box) and bandwidth and ((sleep or stand$by) near2 (mode or state)) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:05
S10 8	109	(stb or set$top or set$top$box) and bandwidth and ((sleep or stand$by) near2 (mode or state)) and (video or tv) and (@ad<="20030716" or @rlad<="20030716") and ("725"/$. ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 11:25
S10 9	7	"447261".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:44
S11 0	4	"809770".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:56

EAST Search History

S11 1	0	"10017675".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:57
S11 2	7	"017675".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:59
S11 3	6	"032218".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 09:59
S11 4	6	"345870".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 10:00
S11 5	7	"026187".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 11:28
S11 6	22	sparrell.in. and centralized.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 13:58
S11 7	7	"490224".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 14:12

EAST Search History

S11 8	3	passive.ti. and sparrell.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 16:46
S11 9	33	"5808694"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 16:47

Page 18

C:\Documents and Settings\esipple\My Documents\EAST\Workspaces\application10620674.wsp